

PLEXIGLAS® SHEET: Building Codes

ACRYLIC SHEET

PLEXIGLAS® SG PLUS MIAMI DADE COUNTY

Plexiglas® SG PLUS meets the requirements of Miami Dade County Product Control Division for thicknesses ranging from 0.093" - 0.375". The NOA number is #11-1116.04.

Please see letter on below pages.

800 523-7500

plexiglas.com

ALTUGLAS
INTERNATIONAL
ARKEMA GROUP

PLEXIGLAS®
BY ARKEMA

PLEXIGLAS® SHEET: Building Codes

ACRYLIC SHEET



DEPARTMENT OF PERMITTING, ENVIRONMENT, AND REGULATORY
AFFAIRS (PERA)
BOARD AND CODE ADMINISTRATION DIVISION
NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/pera/

Arkema, Inc.
128 Old Brickyard Lane
Kensington, CT 06037

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Plexiglas SG Plus Acrylic Sheet

APPROVAL DOCUMENT: Drawing No.G12-01, titled "Plexiglas SG Plus Acrylic Sheet", sheet 1 of 1, dated 01/24/2012, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: None.

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 09-1118.01 and consists of this page, evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**



Signature
05/16/2012

NOA No: 11-1116.04
Expiration Date: April 14, 2015
Approval Date: May 24, 2012
Page 1

800 523-7500

plexiglas.com

ALTUGLAS
INTERNATIONAL
ARKEMA GROUP

PLEXIGLAS
BY ARKEMA

PLEXIGLAS® SHEET: Building Codes

ACRYLIC SHEET

Arkema, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE PAGE

A. DRAWING

1. Drawing No. **G12-01**, titled "Plexiglas SG Plus Acrylic Sheet", sheet 1 of 1, dated 01/24/2012, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TEST REPORTS "Submitted under NOA # 09-1118.01"

	<u>Report No.</u>	<u>Standard</u>	<u>Date</u>	<u>Signature</u>
1.	TEL # 01640111	ASTM D 635	06/16/09	Lyndon F. Schmidt, P.E.
2.	TEL # 01640109	ASTM D1929	06/16/09	Lyndon F. Schmidt, P.E.
3.	TEL # 01640110	ASTM D 2843	06/16/09	Lyndon F. Schmidt, P.E.

C. CALCULATIONS

1. None.

D. MATERIAL CERTIFICATIONS


1. None.

E. QUALITY ASSURANCE

1. Miami-Dade Department of Permitting, Environment, and Regulatory Affairs (PERA)

F. STATEMENTS

1. Statement letter of code conformance to 2010 FBC and no financial interest issued by Al-Farooq Corporation, dated 01/26/2012, signed and sealed by Javad Ahmad, P.E.



05/16/2012

Carlos M. Utrera, P.E.
Product Control Examiner
NOA No 11-1116.04
Expiration Date: April 14, 2015
Approval Date: May 24, 2012

E - 1

800 523-7500

ALTUGLAS
INTERNATIONAL
ARKEMA GROUP

plexiglas.com
PLEXIGLAS
BY ARKEMA

PLEXIGLAS® SHEET: Building Codes

ACRYLIC SHEET

PLEXIGLAS® SG PLUS

PRODUCT DESCRIPTION:

PLEXIGLAS® SG PLUS IMPACT MODIFIED ACRYLIC SHEETS AVAILABLE IN 4'X8', 5'X8' AND 6'X8' SIZES AND ALSO AVAILABLE IN REELS. THICKNESS VARIES FROM 0.093 IN. TO 0.375 IN.

PLEXIGLAS® SG PLUS SHEETS ARE AVAILABLE IN CLEAR TRANSPARENT AND TRANSLUCENT COLORS.

GLAZING SYSTEMS USING THIS PRODUCT CAN BE USED AS A COMPONENT OF THE BUILDING AFTER HAVING A VALID AND CURRENT PRODUCT CONTROL NOTICE OF ACCEPTANCE.

PRODUCT PROPERTIES

TEST DESCRIPTION	TEST METHOD	TEST RESULTS
SELF IGNITION TEMP.	ASTM D1929	721°F
SMOKE DENSITY RATING (MAX.)	ASTM 2843	11.7%
AVERAGE TIME OF BURNING	ASTM D635	52.7 SEC.
AVERAGE EXTENT OF BURNING	ASTM D635	0.74 IN.
AVERAGE RATE OF BURNING	ASTM D635	0.94 IN/MIN
TENSILE STRENGTH (MEAN)	ASTM D638	13,776 PSI 14,106 PSI
		* BEFORE AFTER

* WEATHERING PER SECTION 2612 OF FLORIDA BLDG. CODE.

NOTE:

THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT. SYSTEMS INCORPORATING THESE COMPONENTS SHALL APPLY FOR A NOA TO THE MIAMI-DADE COUNTY PRODUCT CONTROL SECTION AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEM USING THESE COMPONENTS WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE FLORIDA BLDG. CODE.

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 11-1116-04
Expiration Date 04/14/2015
By *[Signature]*
Miami Dade Product Control

Engr: JAVAD AHMAD
CIVIL
FLA. PE # 70592
C.A.N. 3538

 AL-FAROOQ CORPORATION ENGINEERS & PRODUCT DEVELOPMENT 1295 S.W. 87 AVE MIAMI, FLORIDA 33174 TEL. (305) 264-8100 FAX. (305) 262-6978 GLAZING G12-01	PLEXIGLAS SG PLUS ACRYLIC SHEET ARKEMA INC. 128 OLD BRICKYARD LANE KENSINGTON, CT. 06037 TEL. (860)829-3230 FAX. (860)829-3218	(revisions: no date description)	drawing no. G12-01 date: 01-24-15 scale: - sheet 1 of 1
			

800 523-7500

plexiglas.com

ALTUGLAS
INTERNATIONAL
ARKEMA GROUP

PLEXIGLAS®
BY ARKEMA

PLEXIGLAS® SHEET: Building Codes

The statements, technical information and recommendations obtained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Altuglas International/Arkema expressly disclaims any and all liability. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OR MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN.

ACRYLIC SHEET

The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein should be construed as an inducement to infringe any patent, and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement. See MSDS for Health & Safety Considerations. PLEXIGLAS® is a registered trademark of Arkema in the Americas. ©2013 Arkema Inc. All rights reserved. Rev. 5/13

800 523-7500

plexiglas.com

ALTUGLAS
INTERNATIONAL
ARKEMA GROUP

PLEXIGLAS®
BY ARKEMA